

ATEX®

## Characteristics




Static  
Dissipating



Dry Recovery



High Efficiency  
Cyclone



3D Printing



- High Efficiency Cyclone (HEC). Pre-separation system for fine dust using the cyclone for inertial separation
- Air outlet is 1.5" (38 mm)
- The suction inlet is 2" (50 mm) in diameter
- Heavy duty construction. Static dissipative and grounded
- Cyclone is made of conductive plastic. Recovery tank is made of stainless steel Type 430
- Recovery capacity of 9 gal. (35L)
- A conductive poly liner recovery bag is included to facilitate emptying of recovered materials
- This compact separation system is mounted on 4 conductive wheels for maximum maneuverability

## Specifications

HEC-35L (4W)	112309	112309-SPE
<b>Model Name</b>	HEC-35L (4W)	HEC-35L (4W)
<b>Suction Inlet Port</b>	50 mm	50 mm
<b>Air Outlet Port</b>	38 mm	38 mm
<b>Cart Type</b>	4 Wheel Dolly (4W)	4 Wheel Dolly (4W)
<b>Recovery Capacity (Dry)</b>	35 L	35 L
<b>Length</b>	43 cm	43 cm
<b>Width</b>	43 cm	43 cm
<b>Height</b>	86 cm	86 cm
<b>Weight (Vacuum Only)</b>	10 kg.	10 kg.

Please note that specifications are subject to change without notice

**Use only recommended tools & accessories**