

European Headquarters


Tiger-Vac Europa S.R.L.
Via Marie Curie 17
Zona Industriale Ponte Rizzoli
Ozzano Emilia, BO 40064

Tel: ((39) 051 79.53.52)
Fax: ((39) 051 4695077)
Website: <http://www.tiger-vac.eu>
Email: info@tiger-vac.it

International Headquarters

Tiger-Vac International Inc.
2020 Dagenais Blvd. Ouest
Laval, Quebec
Canada H7L 5W2

Tel: (450-625-0099)
Fax: (450-625-3388)
Website: <http://www.tiger-vac.com>
Email: sales@tiger-vac.com



Specifiche per CR-1400WD/CR-1400D

Name	Teil Nummer	Spannung	Frequenz	Phase	Leistung	Leistung	Stromstärke	Luftstrom	Saugdruck	Typ des Leistungsausgangs	Fassungsvermögen des tanks (trocken)	fassungsvermögen des Sammelbeutel (trocken)
CR-1400D	113203B	240 V	50 Hz	Single	1200 W	1.2 kW	5 A	194 m ³ /h	2504 mm H ₂ O	European	38 L	19 L
	Abmessungen: H114 cm x W62 cm x L66 cm		Gewicht: 39 kg.		Geräuschpegel: 65/75 dB(A)							
Description: Dry Only												
CR-1400D	113203C	240 V	50 Hz	Single	1200 W	1.2 kW	5 A	194 m ³ /h	2504 mm H ₂ O	UK	38 L	19 L
	Abmessungen: H114 cm x W62 cm x L66 cm		Gewicht: 39 kg.		Geräuschpegel: 65/75 dB(A)							
Description: Dry Only												
CR-1400D	113203E	240 V	50 Hz	Single	1200 W	1.2 kW	5 A	194 m ³ /h	2504 mm H ₂ O	Chinese	38 L	19 L
	Abmessungen: H114 cm x W62 cm x L66 cm		Gewicht: 39 kg.		Geräuschpegel: 65/75 dB(A)							
Description: Dry Only												
CR-1400WD	113204B	240 V	50 Hz	Single	1200 W	1.2 kW	5 A	194 m ³ /h	2504 mm H ₂ O	European	38 L	19 L
	Abmessungen: H114 cm x W62 cm x L66 cm		Gewicht: 39 kg.		Geräuschpegel: 65/75 dB(A)							
Description: Wet & Dry												
CR-1400WD	113204C	240 V	50 Hz	Single	1200 W	1.2 kW	5 A	194 m ³ /h	2504 mm H ₂ O	UK	38 L	19 L
	Abmessungen: H114 cm x W62 cm x L66 cm		Gewicht: 39 kg.		Geräuschpegel: 65/75 dB(A)							
Description: Wet & Dry												
CR-1400WD	113204E	240 V	50 Hz	Single	1200 W	1.2 kW	5 A	194 m ³ /h	2504 mm H ₂ O	Chinese	38 L	19 L
	Abmessungen: H114 cm x W62 cm x L66 cm		Gewicht: 39 kg.		Geräuschpegel: 65/75 dB(A)							
Description: Wet & Dry												
CR-1400WD (DT) MRAC	113206B	240 V	50 Hz	Single	1200 W	1.2 kW	5 A	194 m ³ /h	2504 mm H ₂ O	European	38 L	19 L
	Geräuschpegel: 65/75 dB(A)											
Description: Wet & Dry with Middle Ring with Activated Carbon												
CR-1400WD (DT) MRAC	113206C	240 V	50 Hz	Single	1200 W	1.2 kW	5 A	194 m ³ /h	2504 mm H ₂ O	UK	38 L	19 L
	Geräuschpegel: 65/75 dB(A)											
Description: Wet & Dry with Middle Ring with Activated Carbon												

CR-1400WD (DT) MRAC	113206E	240 V	50 Hz	Single	1200 W	1.2 kW	5 A	194 m ³ /h	2504 mm H ₂ O	Chinese	38 L	19 L
	Geräuschpegel: 65/75 dB(A)											
Description: Wet & Dry with Middle Ring with Activated Carbon												

Bitte beachten Sie, dass die Spezifikationen ohne vorherige Ankündigung geändert werden können

Dati tecnici per CR-1400WD/CR-1400D

FILTER - Included	
Artikelnummer	Beschreibung
219372	ULPA FILTER WITH GASKETS ON BOTH SIDES, 99.999% ON 0.12 MICRON, FOR MODELS CR-1300 & CR-1400
215393A	MAIN FILTER ASSEMBLY, WITH LACES (CAGE SOLD SEPARATELY)
218390	WIRE CAGE FOR CLOTH FILTER, STAINLESS STEEL TYPE 304
218063-5	SYNTHETIC RECOVERY BAGS, 10" x 28", 50mm COLLAR (PACKAGE OF 5))

AUTOKLAVIERBARER SCHWIMMER FÜR CR-1400D - Optional	
Artikelnummer	Beschreibung
212710CR	AUTOCLAVABLE FLOATER CAGE ASSEMBLY FOR MODEL CR-1400 WD

AUTOKLAVIERBARER SCHWIMMER FÜR CR-1400WD - Included	
Artikelnummer	Beschreibung
212710CR	AUTOCLAVABLE FLOATER CAGE ASSEMBLY FOR MODEL CR-1400 WD

ENTSCHÄUMENDE FLÜSSIGKEIT FÜR CR-1400WD - Included	
Artikelnummer	Beschreibung
211701B	DEFOAMING LIQUID (BOTTLE) 250 ml(8.5 fl oz.)

AKTIVKOHLEPATRONE FÜR CR-1400WD (MRAC) - Optional	
Artikelnummer	Beschreibung
219493	POLYESTER FILTER ASSEMBLY w/CLAMP TO FIT ON ACTIVATED CARBON FILTER CARTRIDGE
212200B	CARBON CARTRIDGE ASSEMBLY WITH 3mm CARBON (REGULAR)
212200C	CARBON CARTRIDGE ASSEMBLY WITH 3mm MERSORB ACTIVATED CARBON (FOR MERCURY VAPORS)
212200K	CARBON CARTRIDGE ASSEMBLY WITH 3mm KOGC3/KINA3 CARBON (FOR CHLORIDE VAPORS)
212200L	CARBON CARTRIDGE ASSEMBLY WITH 3mm A-3 CARBON (FOR ARSINE AND PHOSPHINE VAPORS)

Ø1,25" (Ø32mm) WERKZEUGSÄTZE - Optional	
Artikelnummer	Beschreibung
323306WD	TOOL KIT FOR WET & DRY RECOVERY FOR MODELS CR-1300 & CR-1400
323602	ESD SAFE TOOL KIT #2 FOR CR-1000
323604	AUTOCLAVABLE TOOL KIT #3 FOR MODEL CR-1000

Ø1,25" (Ø32mm) BASIS-WERKZEUGSATZ FÜR NASS- UND TROCKENREINIGUNG - Optional	
Artikelnummer	Beschreibung
323403G	CLEAR URETHANE HOSE ASMBLY 1.25"(32mm)x10'(3m) w/1.5" S/S FEMALE CAMLOCK&STRAIGHT CONNECTOR #323445
323331	STAINLESS STEEL WANDS 1.25" 32cm (SET OF 2) - ONE CURVED AND ONE STRAIGHT
323317	UTILITY FLOOR TOOL WITH WHEELS & WITH SQUEEGEE BLADES 1.25"(32mm) x 12"(30cm), BEIGE PLASTIC
323318	UTILITY FLOOR TOOL WITH NYLON BRISTLES 1.25"(32mm) x 12"(30cm), BEIGE PLASTIC
323313	CREVICE TOOL, 1.25"(32mm) x 9"(23cm), BEIG, PVC
323314	UPHOLSTERY FLAT TOOL, Ø1.25"(32mm), PVC
323321	ROUND TOOL, WITH RUBBER BLADES, Ø1.25"(32mm)
323306WD	TOOL KIT FOR WET & DRY RECOVERY FOR MODELS CR-1300 & CR-1400

Ø1,25" (Ø32mm) ESD-SICHERE WERKZEUGE UND ZUBEHÖR - SATZ #2 - Optional	
Artikelnummer	Beschreibung
323316	MICRO TOOL KIT, Ø1.25"(32mm), ESD* SAFE PLASTIC
323608	SUCTION HOSE ASSEMBLY, ESD SAFE, 1.25"(32mm)x8'(2.4m) FOR MODEL CR-1000
323331	STAINLESS STEEL WANDS 1.25" 32cm (SET OF 2) - ONE CURVED AND ONE STRAIGHT
323318A	UTILITY FLOOR TOOL, Ø1.25"(Ø32mm) x 12"(30cm), STATIC CONDUCTIVE PLASTIC w/CONDUCTIVE NYLON BRISTLES
323313A	CREVICE TOOL, 1.25"(32mm) x 8"(20cm), BLACK, ESD SAFE PLASTIC w/HOLE FOR BUTTON LOCK
323312A	ROUND BRUSH, 1.25"(32mm) x 3"(7.5cm), ESD SAFE PLASTIC, WITH HOLE FOR BUTTON LOCK

323321A	ROUND TOOL, WITH RUBBER BLADES, Ø1.25"(32mm), ESD SAFE PLASTIC
323314A	UPHOLSTERY FLAT TOOL, 1.25"(32mm) x 5"(13cm), ESD SAFE PLASTIC
323602	ESD SAFE TOOL KIT #2 FOR CR-1000

Ø1.25" (Ø32mm) AUTOCLAVABLE WERKZEUGE UND ZUBEHÖR - SATZ #3 - Optional	
Artikelnummer	Beschreibung
323462	EPDM SUCTION HOSE ASSEMBLY (AUTOCLAVABLE) 1.25"(32mm)x8'(2.4m) FOR MODEL CR-1000
323331	STAINLESS STEEL WANDS 1.25" 32cm (SET OF 2) - ONE CURVED AND ONE STRAIGHT
323412	FLOOR TOOL ASSEMBLY, AUTOCLAVABLE, 1.25"(32mm) x 12"(30cm), STAINLESS STEEL w/WHITE NITRILE BLADES
323413	CREVICE TOOL, AUTOCLAVABLE, Ø1.25"(32mm)x10"(25.4cm) -STAINLESS STEEL
323565	CONICAL NOZZLE w/CURVED TIP w/SS CONNECTOR INSTALLED 1.25"(32mm)x10"(25cm), CLEAR FOODGRADE SILICONE
323604	AUTOCLAVABLE TOOL KIT #3 FOR MODEL CR-1000